## THE FRANKLIN INSTITUTE OF THE STATE OF PENNSYLVANIA FOR THE PROMOTION OF THE MECHANIC ARTS

Hall of the Institute,
Philadelphia, January 11, 1989.

Report No. 3065.		
Investigating	The Work of	
	Doctor Edwin Hubble	
	of Pasadena, California.	

PAGE	
1	THE FRANKLIN INSTITUTE OF THE STATE OF PENNSYLVANIA
2	For the Promotion of the Mechanic Arts
3	• • • •
4	
5	
6	Hall of the Institute,
7	Philadelphia, January 11, 1
8	
9	Committee on Science and
10	the Arts Case No. 5063.
11	
12	The Franklin Institute of the State of Pennsylvania, acting
13	through its Committee on Science and the Arts, has considered carefully the
14	work of those who have contributed greatly to the advancement of science and
15	to the application of physical science to industry, and has selected as the
16	recipients of the two awards of the Franklin Medal for 1959 -
17	
18	eDWIN HUBBLE of Pasadena, California,
19	and
20	ALBERT SAUVEUR
21	of Cambridge, Massachusetts.
22	The award to Doctor Hubble is
23	In recognition of his extensive study of the
24	nebulae, particularly those outside our galaxy, as
25	a result of which the dimensions of observed space

PAGE Z

have been greatly increased.

2

Doctor Edwin Powell Hubble was born at Marshfield, Missouri. 4 on November 20, 1889. At the age of twenty-one he was graduated from the 5 University of Chicago, where he had majored in mathematics and astronomy, and 6 was appointed Rhodes Scholar for Illinois. He spent three years at Oxford, at the end of which he received the degree of Master of Arts in Jurisprudence. Upon returning to the United States he was admitted to the Bar in Louisville. Kentucky, in 1915. His legal career was, however, very short lived, for in a year's time he was back at the University of Chicago working for a doctor's degree in astronomy and serving as assistant to Professor Frost at the Yerkes In 1917 he was awarded the degree of Doctor of Philosophy by Chicago University and immediately enlisted in the infantry. After two years 14 of service in France he came home with the rank of major and was successful in 15 being appointed at once to serve on the staff at Mount Wilson Observatory, where 16 he still is.

17

18

19

20

21

Of Hubble's work Professor Henry Norris Russell, of Princeton, has said, "Dr. Edwin P. Hubble is distinguished especially for his investigations upon the nebulae, which surpass in extent, variety and success those of any other astronomer, past or present."

22

24

The nature of nebulae and their size and distance from the solar system have been controversial problems since the earliest astronomical observations were made. It is, however, not difficult to divide nebulae into two groups, - those within our own galaxy, and those beyond.

PAGE

Galactic Nebulae. These diffuse, irregular, luminous clouds
Hubble has found to shine by light reflected from neighboring stars. When
these stars are comparatively cool their light, reflected from nebular dust
clouds, produces a continuous spectrum; but when the stars are comparatively
hot, their ultra-violet light excites the atoms of the nebula which then emits
a bright line spectrum.

Extra-Galactic Nebulae. Working with the 100-inch telescope, Hubble undertook a comprehensive study of the spiral and other "white" nebulae which are most numerous in the regions of the sky remote from the Milky Way. He was able to take advantage of the best atmospheric conditions and employ greater resolution than had previously been possible. His photographs showed that the outer part of one of the brightest and hence one of the nearest spiral nebulae (NGC 6822) was composed of great numbers of stars. Among the brighter of these he discovered many Cepheid variables, which enabled him to calculate, by means of Shapley's relation between period and luminosity, the distance of the spiral. This distance proved to be 700,000 light-years, which located the nebula NGC 6822 well outside our own galaxy.

Sir William Herschel had suggested that all the nebulae were "island universes", which could be resolved into stars if only sufficient telescopic power be applied. During the first quarter of the present century this was revived as an explanation of the peculiar features of the spiral nebulae, notably by H. D. Curtis. This gave an explanation of the curious distribution of these nebulae in the sky, namely, that when we look in the direction of the Milky Way we must peer through vast clouds of thin haze in our own galaxy which

PAGE

5

6

10

11

12

13

14

15

16

17

18

19

20

21

23

24

1 thus obscure our view of very remote objects, but when we look in a direction at right angles to the Milky Way such obscuration is small, hence our vision penetrates the greatest distances. Doctor Hubble's observations proved that this is correct, and that the spirals actually are outside our galaxy.

OFFICERO BERGIES. IDDAS CRITARS, ANTOREST ANTECOM CANADO

harded has fromt to make by think reliented from makenoring store.

During his extensive observations of the great nebulae in Andromeda, Hubble accumulated three hundred and fifty photographs of high resolution which he then undertook to examine in order to observe slight variations in the intensity of any of the thousands of pin points of light which had registered themselves on his plates. Fifty Cepheid variables were discovered which provided the data for estimating the distance of Andromeda as 900,000 light-years. Later studies reduced this figure to 680,000 light-years. The dimensions of this nebula turned out to be comparable with those of our own galaxy. Employing similar methods of attack, Hubble has estimated the distance of the fainter and more remote clusters of nebulae as 200 to 500 million light-years. Dr. H. D. Babcock states, "The volume of space now subject to exploration is a thousand million times as great as that amenable to quantitative discussion only twenty It is not an over-statement to say that the convincing data assembled by him with the 100-inch telescope have been a powerful argument for the construction of the 200-inch reflector."

In 1929 Hubble found a linear relationship between the distances of a series of nebulae and their apparent velocities of recession as determined 22 by observation of the red shift of lines in their spectra, or Doppler effect. In collaboration with Humason this spectrographic study was extended to nebulae as remote as 220 million light-years, with the result that the correlation between 10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

1 distance and apparent velocity of recession was confirmed. The apparent velocity of recession was found to increase by about 525 kilometers per second for each increase of a million parsecs in distance. Hubble recognizes that the red shift may be due to some other cause than velocity of recession. A definite solution to this intricate problem may come with the completion of the 200-inch telescope. 6 Hubble has published some fifty papers in various astronomical He is a member of the American Astronomical Society, the Astronomical Society of the Pacific, the National Academy of Sciences, the American Philosophical Society, and a Fellow of the Royal Astronomical Society of England.

at right soulce to the Billy May guch characterized to spell, hence our wields.

form opposite out ayer of anil tempor oplogue, but shen so look in a structure.

grapautions. . Bootor imports to operate proper houses

He was Halley lecturer at Oxford in 1954, Silliman lecturer at Yale in 1935, and Rhodes Memorial lecturer at Oxford in 1936-57. the honorary degree of Doctor of Science from Oxford in 1954, and from Princeton In 1925 he received the \$1000 prize of the American Association for the Advancement of Science; in 1935 the Barnard Medal; and in 1938 the Bruce Gold Medal.

Professor Henry Norris Russell sums up his contributions to science as follows:- "These investigations have extended the spatial frontiers of human knowledge in a greater proportion than any others in the history of science."



Many B. Alle

irman of the Committee on Science and the Arts.